


公益財団法人宮崎県環境整備公社 2019年度 ASR投入施設活用率



<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 40%;">投入可燃分等</td> <td style="text-align: right;">18.071 (t-ASR可燃分)</td> </tr> <tr> <td>+投入灰分</td> <td style="text-align: right;">5.110 (t)</td> </tr> <tr> <td>投入計</td> <td style="text-align: right;">23.181 (t)</td> </tr> </table>	投入可燃分等	18.071 (t-ASR可燃分)	+投入灰分	5.110 (t)	投入計	23.181 (t)	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 40%;">回収エネルギー</td> <td style="text-align: right;">15.636 (t-ASR可燃分)</td> </tr> <tr> <td>+回収マテリアル</td> <td style="text-align: right;">0.531 (t)</td> </tr> <tr> <td>回収計</td> <td style="text-align: right;">16.167 (t)</td> </tr> </table>	回収エネルギー	15.636 (t-ASR可燃分)	+回収マテリアル	0.531 (t)	回収計	16.167 (t)
投入可燃分等	18.071 (t-ASR可燃分)												
+投入灰分	5.110 (t)												
投入計	23.181 (t)												
回収エネルギー	15.636 (t-ASR可燃分)												
+回収マテリアル	0.531 (t)												
回収計	16.167 (t)												
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 40%;">回収計</td> <td style="text-align: right;">16.167 (t)</td> </tr> <tr> <td>÷ 投入計</td> <td style="text-align: right;">23.181 (t)</td> </tr> <tr> <td>ASR投入施設活用率</td> <td style="text-align: right;">0.70</td> </tr> </table>		回収計	16.167 (t)	÷ 投入計	23.181 (t)	ASR投入施設活用率	0.70						
回収計	16.167 (t)												
÷ 投入計	23.181 (t)												
ASR投入施設活用率	0.70												